Followup to HCAL Atlanta Workfest

John Haggerty *Brookhaven National Laboratory*




Predicted pulse shape

- I was curious to compare the predicted pulse shape from the preamp from Steve Boose's SPICE model of the amplifier and SiPM with the measured pulse shape with the HBD digitzer
- I didn't exhaustively study it, but I scaled Steve's model to one pulse to get the general features (next slide)
- The model reproduces the pulse shape fairly well, but the model doesn't include the cable and front end, and so I think the rise time and decay time are a little slower than the amplifier alone



rc-01243-0.root adc[113] eventnumber == 14





UV LED's

- I got some of the UV LED's that Ron found while we were there—<u>L5-0-U5TH15-1</u> (\$3.79)
- Sean measured the emission spectrum for me (next slide)
- Has some high-side tail, but it does indeed peak at around 360 nm (Sean says there could be some uncertainty in the wavelength at the few nm level)
- I put 5 of these in the mail to Ron



UV-LED_12182015.txt







Image plane


- I changed the illumination of the tile from the Maglite to the UV LED
- Sean pointed out that the SiPM's have a 0.3 mm window, so when the fiber is 0.7 mm from the SiPM, the photodetector is 1.0 mm from the fiber
- The images are all 1/10 sec exposures of the image on the translucent screen
- I now understand what Craig was suggesting, that we blast the tile with light and see how many pixels we are really lighting up





UV LED







SiPM holders and boards

- Mike showed me that John T. had SiPM holders on many, many wrapped tiles
- They were missing SiPM boards, so I got 25 matched SiPM's from Sean and gave them to Sal (I took one to try with the HCAL controller, but I can give it back
- He'll finish up Monday, they are now only missing the gray wires
- How long should the wires be? Somewhere between 2" and 6"... TBD

